


**FIG 1**




DocId: 31110311

# FIG 2


	200	210	220
	Lookup Table	Predetermined Identifier	Predetermined Command
230	Entry 1a	Default Insertion Command	TransferActiveCall, NetworkAddress1, PhoneNumber1
235	Entry 1b	Default Removal Command	TransferActiveCall, NetworkAddress1, CellPhoneNumber
240	Entry 2	I1	TransferActiveCall, NetworkAddress2, PhoneNumber2
250	Entry 3	I2	Transfer ActiveCall, NetworkAddress3, PhoneNumber3
260	Entry 4	I3, 255.255.255.255	TransferActiveCall, NetworkAddress3, 255.255.255.255
270	Entry N	I4, 255.255.255.255, 7325551212	TransferActiveCall, 255.255.255.255, (732) 555-1212
280	none	none	TurnOnVoiceMail, 255.255.255.255 7325551212

Predetermined Command Lookup Table


**FIG 3**



**FIG 4**



**FIG 5**



**FIG 6**

	600	610	620
	Lookup Table	Network Address	Filter Condition
630	Entry 1	NetworkAddress1	Available
640	Entry 2	NetworkAddress2	Accept
650	Entry 2	NetworkAddress3	Reject

**Filter Condition Lookup Table**